

# Scheda di dati di sicurezza

Data:19/01/2023Numero Prodotto:52-0001-01Revisione: 3Nome Prodotto:Makeup, MEK per Best Code

Ai sensi del Regolamento CE n. 1907/2006, come modificato dal regolamento (UE) 2020/878

# Sezione 1: Identificazione della sostanza o miscela e della società/impresa

### **1.1** Identificatore del Prodotto

Product Name:Makeup, MEK per Best CodeRegistration Number:Not Relevant (Mixture)Product Code:52-0001-01

- **1.2** Usi pertinenti identificati della sostanza o miscela e usi sconsigliati Uso consigliato: Inchiostro per stampanti Best Code CIJ
- 1.3 Informazioni sul fornitore della scheda di dati di sicurezza Tecno srl
   Via dei Ronchi 51 C - 10091 Alpignano (TO) Italy Telefono: +39 (0)11724103 Indirizzo e-mail: info@tecnosrl.info

# **1.4** Numero telefonico di emergenza:

Centro Antiveleni di Milano 02 66101029 (CAV Ospedale Niguarda Ca' Granda -Milano) Centro Antiveleni di Firenze 055 7947819 (CAV Ospedale Careggi - Firenze) Centro Antiveleni di Roma 06 49978000 (CAV Policlinico Umberto I - Roma) Centro Antiveleni di Napoli 081 7472870 (CAV Ospedale Cardarelli - Napoli)

# Section 2: Hazards identification

2.1 Classificazione della sostanza o della miscela ai sensi dell'articolo 40 del Regolamento (CE) n. 1272/ 2008 Classificazione GHS:

FLiquidi infiammabili, categoria di pericolo 2 Irritazione oculare, categoria di pericolo 2A STOT, SE Category 3: Tossicità specifica per organi bersaglio (esposizione singola), categoria 3

2.2 Elementi dell'etichetta

Etichettatura secondo il regolamento (CE) n. 1272/2008 (CLP)



Pittogrammi di Pericolo



Product Number: Product Name: 52-0001-01 Makeup, MEK Date: Revision:

12/06/2022 D

### Hazard statements:

H225 - Highly flammable liquid and vapor.

H226 - Flammable liquid and vapor.

H319 - Causes serious eye irritation.

H336 - May cause drowsiness or dizziness.

### **Precautionary statements:**

P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P233 - Keep container tightly closed.

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray.

P264 - Wash hands thoroughly after handling.

P271 - Use only outdoors or in a well-ventilated area.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P303+361+353 - IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305+351+338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P312 - Call a POISON CENTER or doctor/physician if you feel unwell.

P337+313 - If eye irritation persists, get medical advice/attention.

P405 - Store locked up.

P501 Dispose of contents/container to industrial combustion plant.

# **Supplemental Hazard Information**

### **Hazardous Ingredients for Labelling**

Methyl Ethyl Ketone

# 2.3 Other Hazards

# Section 3: Composition/information on ingredients

### 3.1 Substances:

Not relevant (Mixture)



Product Number: Product Name: 52-0001-01 Makeup, MEK Date: Revision:

12/06/2022 D

### 3.2 Mixtures:

Name of Substance	Identifier	Concentration	GHS Classification
Methyl Ethyl Ketone	CAS No: 78-93-3	90.0-100%	Flam. Liq. 2: H225;
	EC No: 201-159-0		Eye Irrit. 2: H319;
	Index No: 606-002-00-3		STOT SE 3: H336;
	REACH Reg. No: 01-2119457290-43-xxxx		
Ethanol	CAS No: 64-17-5	0.0-10.0%	Flam. Liq. 2 / H225
	EC No: 200-578-6		Eye Irrit. 2 / H319
	Index No: 603-002-00-5		
	REACH Reg. No: 01-2119457610-43-xxxx		

# Section 4: First Aid Measures

### 4.1 Description of first aid measures

Inhalation	If breathed in, move person into fresh air. If not breathing, give artificial
	respiration. Consult a physician.
Eyes:	Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.
Skin:	Wash off with soap and plenty of water. Consult a physician.
Ingestion:	Do NOT induce vomiting. Never give anything by mouth to an unconscious person.
	Rinse mouth with water. Consult a physician.

# 4.2 Most Important symptoms and effects, both acute and delayed

Inhalation	No Data Available
Eye contact	No Data Available
Skin contact	No Data Available
Ingestion	No Data Available

### 4.3 Indication of any immediate medical attention and special treatment needed

Notes to doctor: No data available.



Product Number: Product Name: 52-0001-01 Makeup, MEK Date: Revision:

12/06/2022 D

# Section 5: Fire Fighting Measures

### 5.1 Extinguishing media

Use water spray, dry chemical, carbon dioxide, or alcohol-resistant foam..

# 5.2 Special hazards arising from the substance or mixture

During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion.

# 5.3 Advice for firefighters

Wear self contained breathing apparatus for fire fighting if necessary.

### Section 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

#### 6.1.1 For non-emergency personnel

Use proper personal protective equipment as indicated in Section 8.

### 6.1.2 For emergency responders

Use proper personal protective equipment as indicated in Section 8.

# 6.2 Environmental Precautions

Avoid release to the environment.

# 6.3 Methods and material for containment and cleaning up

#### 6.3.1 For Containment:

# 6.3.2 Clean up and disposal of spill:

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wetbrushing and place in container for disposal according to local regulations (see section 13).



Product Number: Product Name: 52-0001-01 Makeup, MEK Date: Revision:

12/06/2022 D

# Section 7: Handling and storage

### 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapor or mist. Use explosion-proof equipment. Keep away from sources of ignition - No smoking. Take measures to prevent the buildup of electrostatic charge.

# 7.2 Conditions for safe storage, including any compatibilities

Store under inert gas. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Hygroscopic.

Storage class 510) Handle and store under inert gas. Recommended storage temperature: 2 -8 - 8 deg.C.

#### 7.3 Specific end use(s)

Fluid delivery to BestCode Series 8 CIJ. Follow safety instructions outlined in 7.1 & 7.2 while handling. Observe warnings provided with BestCode Series 8 CIJ system when installing and handling fluids.

# Section 8: Exposure control/personal protection

#### 8.1 Control parameters

CAS #	Chemical Name	Australia	Austria	Belgium
			TWA: 1000ppm	
		TWA: 1000ppm	(1900mg/m3) STEL:	TWA: 1000ppm
64-17-5	Ethanol	(1880mg/m3)	2000ppm (3800mg/m3)	(1907mg/m3)
				TWA 200ppm
		TWA 150ppm	TWA 100ppm	(600mg/m3)
		(445mg/m3) STEL	(295mg/m3) STEL	STEL 300ppm
78-93-3	Methyl Ethyl Ketone	300ppm (890mg/m3)	200ppm (590mg/m3)	(900mg/m3)

CAS #	Chemical Name	Ontario, CA	Québec, CA	Denmark
			TWA: 1000ppm	TWA: 1000ppm (1900mg/m3) STEL: 2000ppm
64-17-5	Ethanol	STEL: 1000ppm	(1880mg/m3)	(3800mg/m3)
			TWA 50ppm (150mg/m3) STEL	TWA 50ppm (145mg/m3) STEL
		TWA 200ppm	100ppm	100ppm
78-93-3	Methyl Ethyl Ketone	STEL 300ppm	(300mg/m3)	(290mg/m3)



Product Number: Product Name:

52-0001-01 Makeup, MEK Date: Revision:

12/06/2022 D

CAS #	Chemical Name	European Union	Finland	France
			TWA: 1000ppm	TWA: 1000ppm
			(1900mg/m3)	(1900mg/m3)
			STEL: 1300ppm	STEL: 5000ppm
64-17-5	Ethanol	-	(2500mg/m3)	(9500mg/m3)
		TWA 200ppm	TWA 20ppm	TWA 200ppm
		(600mg/m3)	(60mg/m3) STEL	(600mg/m3)
		STEL 300ppm	100ppm	STEL 300ppm
78-93-3	Methyl Ethyl Ketone	(900mg/m3)	(300mg/m3)	(900mg/m3)

CAS #	Chemical Name	German AGS	Germany DFG	Hungary
		TWA: 200ppm	TWA: 200ppm	
		(380mg/m3)	(380mg/m3)	
		STEL: 800ppm	STEL: 800ppm	
64-17-5	Ethanol	(1520mg/m3)	(1520mg/m3)	TWA 1900mg/m3
		TWA 200ppm	TWA 200ppm	
		(600mg/m3)	(600mg/m3)	
		STEL 200ppm	STEL 200ppm	TWA (600mg/m3)
78-93-3	Methyl Ethyl Ketone	(600mg/m3)	(600mg/m3)	STEL (900mg/m3)

CAS #	Chemical Name	Ireland	Italy	Latvia
				TWA
64-17-5	Ethanol	STEL: 1000ppm	-	1000mg/m3
		TWA 200ppm	TWA 200ppm	TWA 67ppm
		(600mg/m3)	(600mg/m3)	(200mg/m3)
		STEL 200ppm	STEL 200ppm	STEL 300ppm
78-93-3	Methyl Ethyl Ketone	(600mg/m3)	(600mg/m3)	(900mg/m3)

CAS #	Chemical Name	New Zealand	PROC	Poland
		TWA: 1000ppm		TWA:
64-17-5	Ethanol	(1880mg/m3)		(1900mg/m3)
		TWA 150ppm	TWA	
		(445mg/m3)	(300mg/m3)	TWA
		STEL 300ppm	STEL	(450mg/m3) STEL
78-93-3	Methyl Ethyl Ketone	(890mg/m3)	(600mg/m3)	(900mg/m3)



Product Number: Product Name:

52-0001-01 Makeup, MEK Date: Revision:

12/06/2022 D

CAS #	Chemical Name	Romania	Singapore	South Korea
		TWA: 1000ppm		
		(1900mg/m3)	TWA:	
		STEL: 5000ppm	1000ppm	TWA: 1000ppm
64-17-5	Ethanol	(9500mg/m3)	(1880mg/m3)	(1900mg/m3)
		TWA 200ppm	TWA 200ppm	TWA 200ppm
		(600mg/m3) STEL	(590mg/m3)	(590mg/m3) STEL
		300ppm	STEL 300ppm	300ppm
78-93-3	Methyl Ethyl Ketone	(900mg/m3)	(885mg/m3)	(885mg/m3)

CAS #	Chemical Name	Spain	Sweden	Switzerland
			TWA: 500ppm	TWA: 500ppm
			(1000mg/m3)	(960mg/m3)
		STEL: 1000ppm	STEL: 1000ppm	STEL: 1000ppm
64-17-5	Ethanol	(1910mg/m3)	(1900mg/m3)	(1920mg/m3)
		TWA 200ppm	TWA 500ppm	TWA 200ppm
		(600mg/m3)	(150mg/m3)	(590mg/m3) STEL
		STEL 200ppm	STEL 300ppm	200ppm
78-93-3	Methyl Ethyl Ketone	(600mg/m3)	(900mg/m3)	(590mg/m3)

CAS #	Chemical Name	The Netherlands	USA - NIOSH	United Kingdom
		TWA: (260mg/m3)	TWA: 1000ppm	TWA: 1000ppm
64-17-5	Ethanol	STEL: (1900mg/m3)	(1900mg/m3)	(1920mg/m3)
			TWA 200ppm	TWA 200ppm
			(500mg/m3) STEL	(600mg/m3)
		TWA (590mg/m3)	300ppm	STEL 300ppm
78-93-3	Methyl Ethyl Ketone	STEL (900mg/m3)	(885mg/m3)	(899mg/m3)

CAS #	Chemical Name	OSHA PELs	ACGIH TLV	California, USA PELs
		TWA 1000ppm	STEL: 1000	
64-17-5	Ethanol	(1900mg/m3)	ppm	PEL 1000ppm (1900mg/m3)
		TWA 200ppm	TWA 200ppm	TWA 200ppm (500mg/m3)
78-93-3	Methyl Ethyl Ketone	(590mg/m3)	STEL 300ppm	STEL 300ppm (885mg/m3)

CAS #	Chemical Name	Mexico
64-17-5	Ethanol	CT 1000ppm
78-93-3	Methyl Ethyl Ketone	PPT 200ppm CT 300ppm



Product Number: Product Name: 52-0001-01 Makeup, MEK Date: Revision:

12/06/2022 D

#### 8.2 Exposure controls:

### 8.2.1 Appropriate engineering controls:

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

### 8.2.2 Individual protection measures, such as personal protective equipment

Wear appropriate protective clothing to prevent skin exposure. Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Eye/Face protection: Skin protection:	Face shield and safety glasses. Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Ingredient CAS# 78-93-3, Methyl ethyl ketone:
	Wear appropriate protective gloves to prevent skin exposure.
Respiratory protection:	<ul> <li>Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.</li> <li>Splash contact:</li> <li>Material: butyl-rubber Minimum layer thickness: 0.3 mm Break through time: 292 min.</li> <li>If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.</li> <li>Full contact.</li> <li>Material: Nitrile rubber, Minimum layer thickness: 0.4 mm, Break</li> </ul>
	through time: 480 min.
Hygienic Practices:	DO NOT SMOKE IN WORK AREA! Promptly remove contaminated clothing. Wash immediately if skin becomes contaminated. Do not eat or drink in work area while using this product. Wash thoroughly at the end of the workday, before eating and using the restroom.



Product Number: Product Name: 52-0001-01 Makeup, MEK Date: Revision:

12/06/2022 D

# Section 9: Physical and chemical properties

# 9.1 Information on basic physical and chemical properties

Appearance:	Clear Liquid (Upon aging, clear or colorless fluids may develop a slight			
	yellow tint which will not affect the product performance).			
Odor:	Solvent Odor threshold: No data available			
pH:	No data available	Melting point:	-89.50 C - 129.10 C	
Boiling range:	80.00-82.00 C	Flash point:	-2.99°C	
Evaporation rate:	-	Upper Explosive Limit:	-	
		Lower Explosive Limit:	-	
Flammability:	No data available	Vapor Pressure:	~ 82-94.5 MM_HG at	
			20.0 C	
Vapor density:	> Air	<b>Relative Density:</b>	.8005	
Solubility(ies):	Miscible	Partition coefficient	No data available	
		n-octanol/water:		
Auto-ignition	-	Decomposition	No data available	
temperature:		temperature:		
Viscosity:	No data available			
Explosive properties:	No data available			
Oxidizing properties:	No data available			
2 Other informatio	1			

### 9.2 Other information:

Miscibility: No data	available VOC:	No data available
----------------------	----------------	-------------------

# Section 10: Stability and reactivity

10.1 Reactivity

No data available.

**10.2** Chemical stability

Stable under normal conditions.

# **10.3** Possibility of hazardous reactions

Will not occur

**10.4** Conditions to avoid:

Ignition sources, Excess heat, confined spaces, Incompatible materials, oxidizers.

**10.5** Incompatible materials:



Product Number: Product Name: 52-0001-01 Makeup, MEK Date: Revision:

12/06/2022 D

Strong oxidizing agents, Strong acids, 2-propanol, acids, Alkali metals, Ammonia, hydrazine, Peroxides, Sodium, Acid anhydrides, calcium hypochlorite, chromyl chloride, nitrosyl perchlorate, bromine pentafluoride, Perchloric acid, silver nitrate, mercuric nitrate, potassium tert-butoxide, magnesium perchlorate, Acid chlorides, platinum, uranium hexafluoride, silver oxide, iodine heptafluoride, acetyl bromide, disulfuryl difluoride, tetrachlorosilane + water, acetyl chloride, permanganic acid, ruthenium (VIII) oxide, uranyl perchlorate, potassium dioxide.

### **10.6** Hazardous decomposition products

Carbon monoxide, Carbon dioxide, Peroxides, irritating and toxic fumes and gases.

### Section 11: Toxicological information

#### **11.1** Information on Toxicological effects

Acute toxicity:	CAS# 78-93-3: Acute toxicity, LD50, Intraperitoneal, Mouse, 616.0 MG/KG.
	Result: Lungs, Thorax, or Respiration: Sputum. Biochemical: Metabolism (Intermediary): Other proteins. Biochemical: Metabolism (intermediary): Effect on inflammation or mediation of inflammation.
	- Shell Chemical Company. Unpublished Report., Vol/p/yr: -,6, 1961 Acute toxicity, LD50, Skin, Species: Rabbit, 6480. MG/KG.
	Result: Lungs, Thorax, or Respiration: Other changes. Biochemical: Metabolism (intermediary): Effect on inflammation or mediation of inflammation.
	- Shell Chemical Company., Vol/p/yr: MSDS-5390-, Acute toxicity, LC50, Inhalation, Mouse, 32.00 MG/M3. Result: Brain and Coverings: Other degenerative changes. Biochemical: Metabolism (intermediary): Effect on inflammation or mediation of inflammation.
	Acute toxicity, LD50, Intraperitoneal, Species: Guinea pig, 2.000 GM/KG.



Product Number: Product Name: 52-0001-01 Makeup, MEK Date: Revision:

12/06/2022 D

	Result:
	Immunological Including Allergic: Increase in humoral immune response.
Skin	No data available
corrosion/irritation:	
Serious eye	No data available
damage/irritation:	
Respiratory or skin	No data available
sensitization:	
Germ cell	Mutagenic effects have occurred in experimental animals.
mutagenicity:	In such as the CACH 70,02,2. Mathed at had been as
Carcinogenicity:	Ingredient CAS# 78-93-3, Methyl ethyl ketone:
	CAS# 78-93-3: Not listed by ACGIH, IARC, NTP, or CA Prop 65.
	Ingredient CAS# 64-17-5, Ethyl alcohol:
	CAS# 64-17-5: Not listed by ACGIH, IARC, NTP, or CA Prop 65.
Reproductive	No data available
toxicity:	
STOT-single	No data available
exposure:	
STOT-repeated	No data available
exposure:	
Aspiration hazard	No data available

### **11.1.1** Hazard Class information:

No data available

**11.1.2** Mixture toxicity:

No data available

11.1.3 Critical studies:

No data available

# **11.1.4** Non-compliance hazard class:

No data available

# **11.1.5** Information on likely routes of exposure:

No data available

# **11.1.6** Symptoms related to the physical, chemical and toxicological characteristics:

No data available



Product Number: Product Name: 52-0001-01 Makeup, MEK Date: 12/06/2022 Revision: D

# **11.1.7** Delayed and immediate effects as well as chronic effects from short and long-term exposure:

No data available

# **11.1.8** Interactive effects:

No data available

#### **11.1.9** Absence of specific data:

No data available

#### 11.1.10 Mixtures:

No data available

#### **11.1.11 Mixture vs Substance information:**

No data available

### 11.1.12 Other information:

No data available

#### Section 12: Ecological information

#### 12.1 Toxicity:

Ingredient CAS# 78-93-3, Methyl ethyl ketone:

Environmental: Substance evaporates in water with T1/2=3D (rivers) to 12D (lakes). Substance is not expected to bioconcentrate in marine life. Physical: Substance photodegrades in air with T1/2 = 2.3 days. Oxidizes rapidly by photo-chemical reactions in air. Readily biodegradable meeting the 10 day window criterion. Not expected to bioaccumulate significantly. Other: No information available.

Ingredient CAS# 64-17-5, Ethyl alcohol:

When released to the atmosphere it will photodegrade in hours (polluted urban atmosphere) to an estimated range of 4 to 6 days in less polluted areas. Rainout should be significant. Physical: No information available.

#### 12.2 Persistence and degradability:

No data available

#### **12.3** Bioaccumulative potential:

No data available



Product Number: Product Name: 52-0001-01 Makeup, MEK Date: Revision:

12/06/2022

D

12.4 Mobility in soil:

No data available

# 12.5 Results of PBT and vPvB assessment:

No data available

#### **12.6** Other adverse effects:

No data available

#### Section 13: Disposal considerations

#### **13.1** Waste treatment methods:

# Waste treatment-relevant information

Solvent reclamation/regeneration.

#### Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

#### Waste treatment of containers/packages

Only packagings which are approved (e.g. acc. to DOT) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

#### Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

### Section 14: Transport information

14.1	UN number:	1210	
14.2	Proper shipping name:		
	US DOT:	Printing Ink Related Material	
	Canadian TDG:	Printing ink, [flammable or] Printing ink related material	
		[(including printing ink thinning or reducing compound),	
		flammable]	
	European ADR/RID:	Printing ink, [flammable or] Printing ink related material	
		[(including printing ink thinning or reducing compound),	
		flammable]	
	IMDG/IMO:	Printing ink, [flammable or] Printing ink related material	
		[(including printing ink thinning or reducing compound),	
		flammable]	



Product Number: Product Name: 52-0001-01 Makeup, MEK Date: 2 Revision: 1

12/06/2022 D

	ICAO/IATA:	Printing ink, [flammable or] Printing ink related material [(including printing ink thinning or reducing compound), flammable]	
14.3	Transport hazard class(es) :	3 - FLAMMABLE LIQUID	
14.4	Packing group:	11	
14.5	Environmental hazards:	N/A	
14.6	Special precautions for user:	N/A	
14.7	Transport in bulk according to Annex II of Marpol and the IBC Code:		
	N/A		

# Section 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists				
CAS #	Hazardous components	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
64-17-5	Ethanol	-	-	-
78-93-3	Methyl Ethyl Ketone	-	-	-

CAS #	Hazardous components	Canadian NPRI	Canadian Toxic	Canadian DSL
64-17-5	Ethanol	Active	-	-
78-93-3	Methyl Ethyl Ketone	Active	-	5000lbs

# Section 16: Other information

<b>Revision Date:</b>	12/06/2022
<b>Revision Notes:</b>	B: Format updated to (EU) 2015/830. New concentration ranges in Section 3. Updated
	Section 9 tables to reflect new concentration ranges.
	C: Updated Sections 8 and 15.
	D: Updated for (EU) 2020/878
A 1 19.9 1.9 C	

Additional Information:

#### **Company Disclaimer:**

The information and recommendations contained herein are, to the best of BestCode's knowledge and belief, accurate and reliable as of the date issued. Because many factors may affect processing or application/use, BestCode recommend that you make tests to determine the suitability of a product for your particular purpose prior to use. It is the user's responsibility to satisfy itself that the product is suitable for the intended use. If buyer repackages this product, it is the user's responsibility to ensure proper health, safety and other necessary information is included with and/or on the container. Appropriate warnings and safe-handling procedures



Product Number: Product Name: 52-0001-01 Makeup, MEK Date: Revision:

12/06/2022 D

should be provided to handlers and users. Alteration of this document is strictly prohibited. Except to the extent required by law, re-publication or retransmission of this document, in whole or in part, is not permitted. In no case shall the descriptions, information, data or designs provided be considered a part of our terms and conditions of sale. Further, you expressly understand and agree that the descriptions, designs, date and information furnished by BestCode hereunder are given gratis and BestCode assumes no obligation or liability for the description, designs, data and information given or results obtained. All such being given and accepted at your risk.